

PO No	Supplier	Line Item No	Rel No	Terms	Purchased Item	Description	For Part No	Project	Equipment ID	Order Qty	Due Date	Received Quantity	Accounting Job No	Serial No	Status	Receive Date	Price/Unit	Aging Days		Total	Supplie
0038631	ACI001- VC	1	1	Net 30	M303B1.900X03.000	303 Bar 1 TX 3': MATERIAL; AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive fi				12	1/9/2018	12		\$030868	Stock	1/9/2018	\$ 72.25 / R	1			Acier Ouellett Inc.
									Total:	12		12							15	714.28	

Plex 1/10/2018 10:45 AM Dart Plouffe Sonia

Status: Receiving

Part: M303B1.000X03.0

Created: 1/10/18 10:41 AM DART.PLOUFFE.SC

Serial No: **S030868** 

# **DELIVERY - CLIENT**

CO00067356

Date Delivery date Your order N° Processed by
Date Delivery date Your order N° Processed by
Processed by
Your order N° Processed by
Processed by
Salesman
Carrier
<b>Credit Terme</b>
Page
PCS NB
6
1238
3
Conditions:  Total Weight (Lbs): 123.00  NIR: R-109516-6  All sold and delivered materials remain the property of "Acier Ouellette Inc" until payment is made in full, complete and cashed. All hot materials are at the bound
Instruction F-M Delivery Route 5 PGS I  FAIT SS 1 X 3 SS303 NS FSS-13303 9735 1 X 12 'R/I  AC12310-JG-08/01

Prepared By :

Verified By:

Time

Total (\$CAD)

Customer's Signature



	The state of the s	00111-111-
Fax: 450-377-5606 MR- Eth 326 4376 Fax: 600-007-7640	Tel.: 450-377-4248 Mtt. 514-336-4248 Evt : 200-667-4748	Ord
7270	Customer Nº	er - Sales
	CL10001056	Сору
		CO00

Billed to HAWKESBURY, Ontario, K6A 1K7 DART AEROSPACE LTD 1270, ABERDEEN ST. Shipped to , Ontario, 2090 MD: 214-336-9246 Ext.: 866-456-9242 Carrier Salesman Processed by Your order No Delivery date Date 38657 Josianne Bourdon 2017/12/15 2018/01/09 0067356

**Delivery Route** 

Att : CHANTAL LAVOIE Tél.: 613-632-5200

**Credit Terme** 

Net 30 Days

**OUELLETTE VALLEYFIELD** 

	Delivery Route	O.		Page	-		juma*			
Product Description	Weight	Oty	U/M		PCS NB	8		Internal Use Only	Use On	¥
1 FLAT SS 1 X 3 SS303 NS				CMO	EXP	B/0	IN	1 8	0	TUO
FS5-11303 9735	123.00	12.00	PI_\$CLB	1.00						
Heat:273666 A C12310-JG-08/01 SURCHARGE ENERGETIQUE FRAIS_ENERGETIQUE			4.6	0.00						
Conditions :	Total Weight (LBS): 123.00	: 123.00		NIR : R-109516-6	9516-6	-			+	
In you are detected mathries remain the property of "Acter Questate Inc." until payment is made in full, complete and copyed, All box mathries are at the buyer's expense. The warranty offered by "Acter Questating" and provide and however and by the moving action is to assist and the large and payment by accepts to respect the following conditions: Net 30 days from this age at the buyer needly excepts to respect the respect with this contract will be add to payment by accepts to pay admission or ages of 2% per month (24% per annumber all pays due amounts oner 30 days. Any default in within the contract will be add to payment by accepts to pay admission of the details of a payment by accepts to pay admission of the contract with this contract with the details of the accepts to payment by accepts to pay admission of the contract with this contract with the details of the payment by accepts to pay admission of the contract with the payment by accepts to pay admission of the contract with the	made in f.rl., complete and cashe rity is transferred by "Acie: Quell or charges of 2% per month (24 seriaise to claim for the balance tut or mod flect earned be refure	W, A' look materials gra ette Inc." to the client. Ny perantrona ary all p due of the repossess	the buyer hereby expensyl due amounts ones	ia. The warrant cots to respect 30 days. Any di if chams must b	offered by the Blauk in c made					
					a and out to					

Prepared By :

Verified By :

Delivered By:

Time

Customer's Signature

Total (\$CAD)

984.17 0.00

Balance Deposit

984.17



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

# BLANKET PURCHASE ORDER PO038657

Tel (613) 632-5200

Supplier: ACI001-VC

Acier Ouellette Inc. 935 Boul. Du Havre

Valleyfield QC

J6S 5L1 Canada Phone: 800 667 4248 Fax: 450 377 5696 PO No:

PO038657

PO Date:

12/15/17

Due Date:

12/19/17

Purchase Order Revision:

Revision Date:

Ship-To Contact:

Lavoie, ChantalPhone:

clavoie@dartaero.com

Ship To:

1270 Aberdeen Street

Hawkesbury

ON

K6A 1K7 Canada Phone: 613-632-5200 Blanket Order:

12/15/17 -

Via:

Ground Net 30

Special Comments: quote # sou0076907

Pymt Terms: Freight Terms:

- 1-				Items					Transaction of the Control of the Co	
Line Item	1	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1	M303B1.000X03.00Q		303 Bar 1" X 3' : MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE receive ft			O ft	sec	U 16		18-01-
				Firmed	1/9/18	12 ft	120 oft	12 ft	\$72.25/n	\$867.00
		*** * 1 s - 1 snow so. w.		Sub	Total:	12	0	12		\$867.00
2	M303R0.313		303 Round Bar .313 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft			O ft	O ft	O ft	\$0.951666/ft	
3	M303R0.500	on the till, we want to a common facility of the common facility of	303 Round Bar 0.500"  : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE:304/316 NOT ACCEPTABLE receive ft			O ft	O ft	0 ft	\$1.973888/ft	
4	M304R0.375	4	304 Round Bar 0.375  MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft			O ft	O ft	0 ft	\$1.188/ft	
5	M304R.500		304 SS roundbar .500 MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	-		0 ft	O ft	O ft	\$1.9072222/ft	
6	M6061T6R0.375		6061-T6 Round Bar .375" MATERIAL: 6061- [6/T651/T6510/T6511/T62	•		O ft	O ft	0 ft	\$0.3775/ft	



Dart Aerospace Ltd. 1270 Aberdeen St Hawkesbury, ON K6A 1K7 Canada

# BLANKET PURCHASE ORDER PO038657

Tel (613) 632-5200

				Items						
Line Item	Part	Supplier Part No	Description	Status	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extende
			ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ- A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM B221 receive fi							
7	M6061T6R0.500	E	6061-T6 Round Bar .500" : MATERIAL: 6061- T6/T651/T6510/T6511/T62 ALUMINUM ROUND BAR AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117 4128/4115/4116 OR QQ-AA-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B221 OR ASTM 3221 eceive ft	and the second		Oft	O ft	Oft	\$0.6375/ft	
8 N	M6061T6R0.875	: 7 A A A 4 C C A A B	MATERIAL: 6061- MATERIAL: 6061- 16/T651/T6510/T6511/T62 MLUMINUM ROUND BAR MS PER QQ-A-225/8 OR MS-QQ-A-225/8 OR AMS 117 4128/4115/4116 OR MQ-AA-200/8 OR AMS-QQ- -200/8 OR AMS 4160 OR STM B221 OR ASTM 221			Oft	O ft	O ft	\$1.94825/R	

### Order Notes

**Procurement Quality Clauses** 

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit <a href="https://www.dartaerospace.com">www.dartaerospace.com</a> for further explanation.

# DARTCO. 673=6 CERTIFICAT D'ESAIS

PO. 12310

Page 01 of 02

Certification Date 8-JAN-2018

Invoice Number T374085

CUSTOMER ORDER NUMBER NUMERO DE COMMANDE DU CLIENT

AC00012310 PART NUMBER/NUMÉRO DE PIÈCE

511237

SOLD TO: VENDU A:

ACIER OUELLETTE INC.

SHIP TO:

DIVISION SALABERRY DE VAEKERDEEUD

935, BOUL. DU HAVRE SALABERRY-DE- VALLEYFIELD OC ACIER QUELLETTE INC.

DIVISION SALABERRY DE VALLEYFIELI

935, BOUL. DU HAVRE J6S 5L1SALABERRY-DE- VALLEYFIE

Line Total: 126

OC J65

Description: CD ANN BAR ASTM A582 303

PERM HEAT 273666

ITEM: 511237

AMS 5640 TYPE 1 V

Specifications:

ASTM A314 15 MIL S 862 B

ASTM A582 ASTM A320 17A QQ S 764 B

ASME SA320 15 ASTM A370 1

CHEMICAL ANALYSIS

C SI 0.034 0.31

MN 1.68

CR 17.43

0.43

CU 0.48

NI 8.09

CO 0.137

P 0.032 0.34

ZR 0.003

RCPT: R359839

COUNTRY OF ORIGIN : ITALY

MECHANICAL PROPERTIES

DESCRIPTION

YLD STR KSI 63.0

ULT TEN KSI 100.0

%ELONG IN 02 IN 41.0

IN AREA 59.0

\*RED HARDNESS BHN

204

GRAIN SIZE :5 -

The above data were transcribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on the subject to examination. At as informations ci-hauf-mentionnées soul transentes du certificat d'essais du manufacturier après véritieation de l'état complet des specifications inscrites our le contribut. We hereby carrify that the material covered by this report will need the applicable raquirements described herein, including any specification forming a jant of the description. Par les présentes, nous certifions que le matériel couvert par ce rapport reneantre les spécifications décrites ei-leur.

The willful recording of false, fletitions, or fraudulent statements in connection with test results may be punishable as a folony under federal statutes. Ales informations fausses, fictives ou frauhleuses en apport avec le résultat des essuis sent punissables en vertu des lois fédérales.

Material did not come in contact with mercury while in our possession. Par les présentes apus comitique que le matériel convert par ce apport hancomir les spécificament des les spécificament des les spécificaments de la convert par ce apport hancomir les significants de la convert par ce apport hancomir les significants de la convert par les présentes de la convert par les converts de la convert par les présentes de la convert partie de la convert par les présentes de la convert par les présentes de la convert partie de la convert partie de la convert partie de la convert partie de la convert de la convert partie de la convert hmi

> MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

# CERTIFICATE OF TEST CERTIFICAT D'ESAIS

Page 02 of 02 "

Certification Date 8-JAN-2018

CUSTOMER ORDER NUMBER NUMÉRO DE COMMANDE DU CLIENT

AC00012310

Invoice Number T374085

PART NUMBER/NUMÉRO DE PIÈCE

SOLD TO: VENDU A: ACIER OUELLETTE INC.

DIVISION SALABERRY DE VALISMP MELD 935, BOUL. DU HAVRE

EXPÉDIÉ À:

ACIER OUELLETTE INC.

DIVISION SALABERRY DE VALLEYFIELI

LB

935, BOUL. DU HAVRE

Line Total: 126

SALABERRY-DE- VALLEYFIELD QC J6S 5L1SALABERRY-DE- VALLEYFIE

Description:

303 CD ANN BAR ASTM A582

1 X 3 FLAT X 12 1 R/L

REAL: 273666

MATERIAL IS FREE FROM MERCURY CONTAMINATION NO WELD REPAIR PERFORMED ON MATERIAL

MACRO: OK MICRO1: OK

COMMENTS

MATERIAL IS DFARS COMPLIANT

The above data were trunscribed from the manufacturer's Certificate of Test after verification for completeness and specification requirements of the information on the certificate. All test results remain on file subject to examination. Thes informations ei-haut-mentionnées sont transcrites du contition d'essais du manufacturier après vénification de l'état complet des specifications inscrites sur le certificat. We hereby certify that the material covered by this report will meet the applicable requirements described herein, including any specification forming a port of the description. Par les présentes, nous certitions que le matériel couvert par ce rapport reneantre les spécifications décrites ei-haut.

The willful recording of false, fictitious, or fraudulent statements in connection with test results may be punishable as a felony under federal stantes. Thes informations fausses, fictives on frauduleuses en rapport avec le résoltet des essais sont punissables en vertu des lois tédérales.

Material did not come in cardinal path purcease whatern our possession./Par les présentes, nous cardinons que le matériel sonvert par ce rapport rencontre les spécifications décrites cihout

> MANAGER QUALITY ASSURANCE GÉRANT DE L'ASSURANCE QUALITÉ

eura Lessprin

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: DATE:	M303B1000x0	3.000	PO / BATCH NO.:	038657/3	03086
MATERIAL CERT REC'D: QUANTITY RECEIVED: QUANTITY INSPECTED: QUANTITY REJECTED:	Yes 12'' 12''	THICK	NESS ORDERED: NESS RECEIVED: SIZE ORDERED: SIZE RECEIVED:	1.000	
	NCD				

DESCRIPTION	(CI	CR neck	COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(4)	N	
CORROSION	Y	N	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL PER M-DRAWING	N	N	Astu A582
CORRECT THICKNESS	(4)	N	131W 130 D
PHOTO REQUIRED	Y	N	
CORRECT REF # TO LINK CERT	(12)	N	Hest I 273666
CORRECT MATERIAL IDENTFICATION	0	N	H 10666
CORRECT M# ON THE MATERIAL	(4)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Υ	(3)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	3	

CUT SAMPLE PIECE OF	MATERIAL A	ND PREFOR	M A HARDNE	SS CHECK.	
		OL 12 BELO	/V		
TYPE OF MATERIAL	HRC	HRB	DURA	DUR D	WEBSTER
					THE STATE OF THE S
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					-

testers located in the Quality Office

QC 18 INSPECTION		FUOLUTION
	DAS	ENGINEERING SIGNOFF (if required)
INSPECTED BY:	11	SIGNED OFF BY:
DATE	9-89	5.5.125 OFF B1.
DATE:	JAN 1 0 2018	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# SPECIFICATION CONTROL DRAWING

00

PURCHASE MATERIAL: AISI 303 SS BAR
(NOTE: AISI 304/316 NOT ACCEPTABLE)

PART NUMBER:

M303B|T.TTT X|WW.WWW

EG. 0.5" x 3.0" BAR = M303B0.500X03.000 WHERE "T.TT" = THICKNESS IN INCHES AND "WW.WWW" = WIDTH IN INCHES

ELEASEN 2010 -02- 0 2

A NEW ISSUE
REV
DESIGN
CHECKED
CHECKED

DART AEROSPACE LID
HAWKESBURY, ONTARIO, CANADA

>

CP 10.01.05

DS 02.05.29

BY DATE

B REFORMAT DWG, ADD SPECS (ZN D8-1).

MFG. APPR.
APPROVED
DE APPR.

303 BAR M303B

> SHEET 1 OF REV. B

SCALE

10.01.05

COPYRIGHT © 2002 BY DART AEROSPACE LTD

I I APPEAL AND COPEDINAL AND IS MARKED ON THE EXPRESS CONDICTOR THAT I IS,
ITS YEAR AND TO SHE CONTROL ON COMMUNICATED TO ANY OTHER PUTEDOWNTHOUT.

 $\varpi$ 

0